

Material Safety Data Sheet

Revision Issued: 8/24/2010 Supersedes: 10/25/2007 First Issued: 3/28/91

Section I - Chemical Product And Company Identification

Product Name: Desert Brand CMFPS-Accent Base

CAS Number: N/A

HBCC MSDS No. CD04526



HILL BROTHERS *Chemical Co.*

1675 NORTHMAIN STREET • ORANGE, CALIFORNIA 92867-3499
(714) 998-8800 • FAX: (714) 998-6310
<http://hillbrothers.com>

1675 No. Main Street, Orange, California 92867
Telephone No: 714-998-8800 | Chemtrec: 800-424-9300

Section II - Composition/Information on Ingredients

Chemical Name	CAS Number	Exposure Limits (TWAs) in Air		
		ACGIH TLV	OSHA PEL	STEL
Acrylic Copolymer Emulsion	Proprietary	N/E	N/E	N/E

Section III - Hazard Identification

Routes of Exposure: Skin; Eyes; Ingestion; Inhalation

Summary of Acute Health Hazards

Ingestion: May cause irritation to the esophagus, stomach.

Inhalation: Not a problem with normal ventilation.

Skin: prolonged or repeated exposure may cause irritation to the skin.

Eyes: May cause irritation to the eyes.

Summary of Chronic Health Hazards: None

Signs and Symptoms of Exposure: N/A

Effects of Overexposure: If sprayed, may cause dizziness.

Medical Conditions Generally Aggravated by Exposure: N/A

Note to Physicians: N/A

Section IV - First Aid Measures

Ingestion: Do not induce vomiting. Consult physician immediately.

Inhalation: Move to fresh air.

Skin: Wash affected areas with soap and water. Consult physician if irritation persists.

Eyes: Flush immediately with large amount of water for 15 minutes. Take to physician for medical treatment.

Section V - Fire Fighting Measures

Flash Point: None

Autoignition Temperature: None

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Unusual Fire and Explosion Hazards: Closed containers may burst due to steam when exposed to extreme temperatures.

Extinguishing Media: Use Carbon Dioxide, Dry Chemical, or Water Fog.

Special Firefighting Procedures: N/A

Section VI - Accidental Release Measures

Use absorbent material such as sand or sawdust to pick up excess, wash area with soap and water. Dispose in waste container. Dried material may be removed with acetone.

Section VII - Handling and Storage

Store containers between 37°F and 100°F. Never exceed 140°F or allow to freeze.

Section VIII - Exposure Controls/Personal Protection

Respiratory Protection: Wear (MSHA/NIOSH) approved type respirator.

Ventilation: Standard exhaust ventilation

Protective Clothing: Wear protective gloves and full length clothing to avoid prolonged and repeated contact is recommended.

Eye Protection: Safety glasses.

Work/Hygienic Practices: Wash hands thoroughly with soap and water before eating, drinking, smoking or using toilet facilities. Do NOT place food, coffee or other drinks in the area where dusting or splashing of solutions is possible.

Section IX - Physical and Chemical Properties

Physical State: Liquid

pH: 8 - 9

Melting Point/Range: N/A

Boiling Point/Range: > 100°C; > 212°F

Appearance/Color/Odor: White and various colors, slight acrylic odor.

Solubility in Water: Miscible

Vapor Pressure (mmHg): N/A

Specific Gravity (Water=1): 1.10 - 1.20

Evaporation Rate (n-BuAc=1): <1.0

Vapor Density (Air=1): N/A

% Volatiles by Volume: 54.3 - 55.3

How to detect this compound : N/A

VOC: < 100 grams/liter; 0.83 lbs./gal.

Section X - Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Excessive Heat

Materials to Avoid: Strong oxidizers

Hazardous Decomposition Products: Oxides of Carbon

Section XI - Toxicological Information

N/A

Section XII - Ecological Information

N/A

Section XIII - Disposal Considerations

Dispose of in accordance with Federal, State, and local regulations.

Section XIV - Transport Information

DOT Proper Shipping Name: N/A
DOT Hazard Class/ I.D. No.: Non-Regulated

Section XV - Regulatory Information

WARNING

This product contains chemicals known to the state of California to cause cancer.

Reportable Quantity: N/A

NFPA Rating: Health - 1; Flammability - 0; Instability - 0

Carcinogenicity Lists:

NTP: No

IARC Monograph: No

OSHA Regulated: No

Section XVI - Other Information

Synonyms/Common Names: Latex Concrete Masonry, Floor, Patio & Deck Sealer

Chemical Family/Type: Acrylic

Section changed since last revision: II, XIV

IMPORTANT! Read this MSDS before use or disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This MSDS has been prepared according to the OSHA Hazard Communication Standard [29 CFR 1910.1200]. The MSDS information is based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, [Hill Brothers Chemical Company](#) makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Also, additional information may be necessary or helpful for specific conditions and circumstances of use. It is the user's responsibility to determine the suitability of this product and to evaluate risks prior to use, and then to exercise appropriate precautions for protection of employees and others.