

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Mineral Spirits 66 7.5%
Product Use Description : SOLVENT

Manufacturer or supplier's details

Company : Nexeo Solutions LLC
Address : 3 Waterway Square Place Suite 1000
 Woodlands, Tx. 77380
 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648)
 Health International: 1-855-NEXEO4U (1-855-639-3648)
 Transport North America: CHEMTREC 800.424.9300

Additional Information: : Responsible Party: Product Safety Group
 E-Mail: msds@nexeosolutions.com
 SDS Requests: 1-855-429-2661
 SDS Requests Fax: 1-281-500-2370
 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
 Skin irritation : Category 2
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)
 Specific target organ toxicity - repeated exposure : Category 2 (Liver, Kidney, Central nervous system)
 Aspiration hazard : Category 1

GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P314 Get medical advice/ attention if you feel unwell.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Emergency Overview

Appearance	liquid
Colour	clear, transparent
Odour	characteristic, hydrocarbon-like, solvent-like
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64742-47-8	Distillates (pet), hydrotreated light	0 - 100
64742-88-7	Solvent naphtha (pet), med aliph.	0 - 100
1330-20-7	Mixed xylenes	1 - 5

Synonyms : Petroleum hydrocarbon solvent, Mineral Spirits, Stoddard Solvent, Hydrotreated light distillate, Medium Aliphatic Solvent Naphtha,

Special Notes: : Functionally equivalent petroleum streams may be found in this preparation at varying concentrations.

SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.

If inhaled : Call a physician or poison control centre immediately.
If unconscious place in recovery position and seek medical advice.

In case of skin contact : Take victim immediately to hospital.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Suitable extinguishing media | : Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |
| Specific extinguishing methods | : Use a water spray to cool fully closed containers. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for fire-fighting if necessary. |

NFPA Flammable and Combustible Liquids Classification:
Combustible Liquid Class II

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|

Safety Data Sheet
Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentra-	Basis

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

			tion	
64742-47-8	Distillates (pet), hydrotreated light	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
64742-88-7	Solvent naphtha (pet), med aliph.	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600 mg/m ³	OSHA P0
1330-20-7	Mixed xylenes	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		TWA	100 ppm 435 mg/m ³	OSHA Z-1

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Colour	: clear, transparent
Odour	: characteristic, hydrocarbon-like, solvent-like
Odour Threshold	: No data available
pH	: not applicable
Freezing Point	: No data available
Boiling Point (Boiling point/boiling range)	: 149 - 213 °C (300 - 415 °F)
Flash point	: 40 - 46 °C (104 - 115 °F)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 6 %(V)
Lower explosion limit	: 0.6 %(V)
Vapour pressure	: < 1 mmHg @ 20 °C (68 °F)
Relative vapour density	: 5
Relative density	: 0.77 - 0.79 @ 15 °C (59 °F) Reference substance: (water = 1)
Density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other sol-vents	: soluble Solvent: Hydrocarbons
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 230 - 270 °C
Thermal decomposition	: No data available

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Strong acids strong alkalis Chlorine Oxygen
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 30000 ppm Exposure time: 4 h Test atmosphere: gas Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

Components:

64742-47-8:

Acute oral toxicity	: LD50 (rat): > 5,000 mg/kg
Acute inhalation toxicity	: Remarks: No data available

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg
Method: Fixed dose procedure
GLP: yes

64742-88-7:

Acute oral toxicity : LD50 (rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

1330-20-7:

Acute oral toxicity : LD50 (rat, male): 3,523 mg/kg
Method: EU Method B.1 (Acute Toxicity, Oral)
GLP: no

Acute inhalation toxicity : LC50 (rat, male): 6700 ppm
Exposure time: 4 h
Method: Directive 67/548/EEC, Annex V, B.2.
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (rabbit): 1,100 mg/kg
Assessment: The component/mixture is moderately toxic after single contact with skin.

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

64742-47-8:

Species: rabbit
Exposure time: 24 h
Method: In vivo
Result: Irritating to skin.

64742-88-7:

Species: rabbit
Exposure time: 24 h
Method: In vivo
Result: Irritating to skin.
GLP: yes

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

1330-20-7:

Species: rabbit
Exposure time: 24 h
Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

64742-47-8:

Species: rabbit
Result: No eye irritation
Exposure time: 1 s
Method: EPA OTS 798.4500
GLP: yes

64742-88-7:

Species: rabbit
Result: Irritating to eyes.

1330-20-7:

Species: rabbit
Result: Irritating to eyes.

Respiratory or skin sensitisation

Components:

64742-47-8:

Test Type: Buehler Test
Exposure routes: Dermal
Species: guinea pig
Method: In vivo
Result: Did not cause sensitisation on laboratory animals.
GLP: yes

64742-88-7:

Test Type: Buehler Test
Species: guinea pig
Method: In vivo
Result: Did not cause sensitisation on laboratory animals.
GLP: yes
Remarks: Based on a similar product formulation.

1330-20-7:

Remarks: No data available

Germ cell mutagenicity

Components:

64742-47-8:

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

- Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: Mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes
- Genotoxicity in vivo : Test Type: Chromosome aberration assay in vivo
Test species: rat (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Exposure time: 6 - 48 hrs
Dose: 0, 300, 1000, 3000 mg/kg bw
Result: negative
GLP: yes
- Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- 64742-88-7:**
Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: Mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes
Remarks: Information given is based on data obtained from similar substances.
- Genotoxicity in vivo : Test Type: DNA damage and/or repair
Test species: mouse (male)
Application Route: Intraperitoneal
Exposure time: 20 -22 h
Dose: 0, 400, 2000, 4000 mg/kg
Result: negative
GLP: yes
- Germ cell mutagenicity-Assessment : Mutagenicity classification not possible from current data
- 1330-20-7:**
Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test species: Chinese hamster ovary (CHO)
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (in vitro mammalian cytogenetic test)
Result: negative
- : Test Type: Sister chromatid exchange assay in mam-

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

- malian cells
Test species: Chinese hamster ovary (CHO)
Metabolic activation: with and without metabolic activation
Result: negative
- Genotoxicity in vivo : Test Type: Dominant lethal assay
Test species: mouse
Application Route: Subcutaneous
Exposure time: 8 wk
Dose: 1.0 mL/kg
Method: OECD Test Guideline 478
Result: negative
GLP: no
- Germ cell mutagenicity-Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

64742-47-8:

Species: mouse, (male and female)
Application Route: Dermal
Exposure time: 105 wks
Dose: 0, 25 mg/application
Frequency of Treatment: 3 days/week
LOAEL: 25

Result: Limited evidence of carcinogenic effects
Symptoms: Local irritation, Dermal tumours

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

64742-88-7:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

1330-20-7:

Species: mouse, (male and female)
Application Route: Oral
Exposure time: 103 wk
Dose: 0, 500 or 1000 mg/kg
Frequency of Treatment: 5 days/week
Method: Directive 67/548/EEC, Annex V, B.32.
Result: did not display carcinogenic properties
GLP: No data available

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

essment

Reproductive toxicity

Components:

64742-47-8:

Effects on fertility

: Test Type: Fertility
Species: rat, male and female
Application Route: Oral
Dose: 0, 375, 750, 1500 mg/kg/d
General Toxicity - Parent: NOAEL: 750 mg/kg body weight
General Toxicity F1: NOAEL: 750 mg/kg body weight
Fertility: NOAEL: \geq 1,500 mg/kg body weight
Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain.
Result: No reproductive effects.

Effects on foetal development

: Species: rat
Application Route: Oral
Dose: 0, 500, 1000, 1500, 2000mg/kg
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Teratogenicity: NOAEL: 2,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Symptoms: Reduced body weight
Method: OECD Test Guideline 414
Result: Developmental toxicity occurred at maternal toxicity dose levels, No teratogenic effects.

Reproductive toxicity - Assessment

: Animal testing did not show any effects on fertility. Embryotoxicity classification not possible from current data.

64742-88-7:

Effects on fertility

: Test Type: Fertility
Species: rat, female
Application Route: Oral
Dose: 0, 325, 750, 1500 mg/kg/day
Duration of Single Treatment: 147 d
General Toxicity - Parent: NOAEL: 750 mg/kg body weight
General Toxicity F1: NOAEL: 750 mg/kg body weight
Fertility: NOAEL: \geq 1,500 mg/kg body weight
Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain.
Result: Animal testing did not show any effects on fertility., Embryotoxic effects and adverse effects on

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

- the offspring were detected.
GLP: yes
- Effects on foetal development : Species: rat
Application Route: Oral
Dose: 0, 500, 1000, 1500, 2000 milligram per kilogram
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Teratogenicity: NOAEL: 2,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Symptoms: Reduced body weight
Method: OECD Test Guideline 414
Result: Developmental toxicity occurred at maternal toxicity dose levels, No teratogenic effects.
- Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Did not show teratogenic effects in animal experiments.
- 1330-20-7:**
Effects on fertility : Test Type: Two-generation study
Species: rat, male and female
Application Route: Inhalation
Dose: 0, 25, 100 and 500 ppm
Duration of Single Treatment: 6 h
Frequency of Treatment: 7 days/week
General Toxicity - Parent: NOAEC: > 500 ppm
General Toxicity F1: NOAEC: > 500 ppm
Early Embryonic Development: NOAEC: > 500 ppm
Result: No reproductive effects.
- Effects on foetal development : Species: rat
Application Route: Inhalation
Dose: 0, 100, 500, 1000 or 2000 ppm
Duration of Single Treatment: 14 d
Frequency of Treatment: 6 hr/day
General Toxicity Maternal: NOAEC: 500 ppm
Teratogenicity: NOAEC: > 2,000
Developmental Toxicity: NOAEC: 100 ppm
Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels
- Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Damage to fetus not classifiable

STOT - single exposure

Product: No data available

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Components:

64742-47-8:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

64742-88-7:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

1330-20-7:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Respiratory system	May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.	

STOT - repeated exposure

Product: No data available

Components:

64742-47-8: No data available

64742-88-7: No data available

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

1330-20-7:

Exposure routes:	Target Organs:	Assessment:	Remarks:
	Liver, Kidney, Central nervous system	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	

Repeated dose toxicity

Components:

64742-47-8:

Species: rat, male

LOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 70 - 90 days

Number of exposures: daily

Dose: 0, 750, 1500, 3000 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: rat, female

NOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 21 wks

Number of exposures: daily

Dose: 0, 325, 750, 1500 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: mouse, male and female

NOAEL: >= 1000

Application Route: inhalation (vapour)

Exposure time: 90 d

Number of exposures: 24 h/d, daily

Dose: 0, 500, 1000 mg/m³

GLP: No data available

Species: rat, male and female

NOAEL: >=0,5

Application Route: Dermal

Exposure time: 28 d

Number of exposures: 6 h/d, 5 d/wk

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Dose: 0, 0.01, 0.05, 0.5 ml/kg bw/d
Method: OECD Test Guideline 410
GLP: yes
Symptoms: Local irritation

Repeated dose toxicity - : Causes skin irritation.
Assessment

64742-88-7:

Species: rat, male
LOAEL: 750 mg/kg
Application Route: Oral
Exposure time: 70 - 90 d
Number of exposures: Daily
Dose: 0, 750, 1500, 3000 mg/kg/day
GLP: yes
Symptoms: weight loss, Local irritation

Species: rat, female
NOAEL: 750 mg/kg
Application Route: Oral
Exposure time: 21 wks
Number of exposures: Daily
Dose: 0, 325, 750, 1500 mg/kg/day
GLP: yes
Symptoms: weight loss, Local irritation

Species: rat, male and female
NOAEL: ≥ 24
Application Route: Inhalation
Test atmosphere: vapour
Exposure time: 4 wks
Number of exposures: 6 h/d, 5 d/wk
Dose: 0, 24 mg/m³
GLP: yes

Remarks: Information given is based on data obtained from similar substances.

Species: rat, male and female
NOAEL: ≥ 0.5 mg/l
Application Route: Dermal
Exposure time: 4 wks
Number of exposures: 6 h/d, 5 d/wk
Dose: 0, 1.01, 0.05, 0.5 ml/kg/day
Method: OECD Test Guideline 410
GLP: yes

Remarks: Information given is based on data obtained from similar substances.

Repeated dose toxicity - : Causes skin irritation.
Assessment

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

1330-20-7:

Species: rat, male and female

NOAEL: 250 mg/kg

Application Route: Oral

Exposure time: 103 wk

Number of exposures: 5 d/wk

Dose: 0, 250 or 500 mg/kg

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Components:

64742-47-8:

May be fatal if swallowed and enters airways.

64742-88-7:

May be fatal if swallowed and enters airways.

1330-20-7:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64742-47-8:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 25 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 1.4 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

	Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae	: EL50 (Pseudokirchneriella subcapitata (green algae)): 1 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
64742-88-7:	
Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes Remarks: Information given is based on data obtained from similar substances.
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 1.4 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae	: EL50 (Pseudokirchneriella subcapitata): 1 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes Remarks: Information given is based on data obtained from similar substances.
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

1330-20-7:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

	mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata): 4.36 mg/l End point: Growth rate Exposure time: 73 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Ecotoxicology Assessment	
Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

64742-47-8:

Biodegradability	: aerobic Concentration: 101 mg/l Biodegradation: 61 % Exposure time: 28 d GLP: yes Remarks: Readily biodegradable
------------------	---

64742-88-7:

Biodegradability	: aerobic Concentration: 101 mg/l Biodegradation: 61 % Testing period: 10 d Exposure time: 28 d Lag phase: 5 d Test substance: Solvent naphtha (petroleum), heavy aromatic GLP: yes
------------------	--

1330-20-7:

Biodegradability	: Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 20 d
------------------	---

Safety Data Sheet
Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

Bioaccumulative potential

Components:

1330-20-7:

Partition coefficient: n-octanol/water : log Pow: 2.77 - 3.15

Mobility in soil

Components:

64742-88-7:

Stability in soil : Remarks: Adsorbs on soil.

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Contaminated packaging

: Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Flash Point:40 - 46 °C(104 - 115 °F)

IMDG (International Maritime Dangerous Goods): UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

DOT (Department of Transportation): UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

Special Notes: : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Combustible Liquid, Toxic by inhalation., Harmful by ingestion., Harmful by skin absorption., Moderate skin irritant, Moderate eye irritant, Moderate respiratory irritant

WHMIS Classification : B3: Combustible Liquid
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Mixed xylenes	1330-20-7	100	2000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

100-41-4 Ethylbenzene 0.099 %

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

108-88-3	Toluene	0.099 %
71-43-2	Benzene	0.099 %
91-20-3	Naphthalene	0.099 %
98-82-8	Cumene	0.099 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

1330-20-7	Mixed xylenes	5 %
100-41-4	Ethylbenzene	0.099 %
108-88-3	Toluene	0.099 %
71-43-2	Benzene	0.099 %
98-82-8	Cumene	0.099 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1330-20-7	Mixed xylenes	5 %
100-41-4	Ethylbenzene	0.099 %
108-88-3	Toluene	0.099 %
71-43-2	Benzene	0.099 %
91-20-3	Naphthalene	0.099 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1330-20-7	Mixed xylenes	5 %
100-41-4	Ethylbenzene	0.099 %
108-88-3	Toluene	0.099 %
71-43-2	Benzene	0.099 %
91-20-3	Naphthalene	0.099 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

1330-20-7	Mixed xylenes	1 - 5 %
71-43-2	Benzene	0 - 0.1 %

Pennsylvania Right To Know

64742-47-8	Distillates (pet), hydrotreated light	0 - 100 %
64742-88-7	Solvent naphtha (pet), med aliph.	0 - 100 %
1330-20-7	Mixed xylenes	1 - 5 %
100-41-4	Ethylbenzene	0 - 0.1 %
108-88-3	Toluene	0 - 0.1 %
71-43-2	Benzene	0 - 0.1 %
91-20-3	Naphthalene	0 - 0.1 %
98-82-8	Cumene	0 - 0.1 %

New Jersey Right To Know

64742-47-8	Distillates (pet), hydrotreated light	0 - 100 %
------------	---------------------------------------	-----------

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

64742-88-7	Solvent naphtha (pet), med aliph.	0 - 100 %
1330-20-7	Mixed xylenes	1 - 5 %

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

100-41-4	Ethylbenzene
71-43-2	Benzene
91-20-3	Naphthalene
98-82-8	Cumene

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

108-88-3	Toluene
71-43-2	Benzene

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	n (Negative listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	n (Negative listing) (Not in compliance with the inventory)

Safety Data Sheet
Mineral Spirits 66 7.5%

Version 1.3


Revision Date: 03/06/2015

Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0000591

Material number:

Safety Data Sheet

Mineral Spirits 66 7.5%

Version 1.3

Revision Date: 03/06/2015

103646, 102989, 16056392, 16056391, 16056390, 547277, 53764, 612976, 20087, 660347, 86313, 53281, 53768, 744414, 744413, 604767, 70884, 103635, 70230, 86310, 70887, 70876, 103643, 70239, 554091, 554080, 556672, 556673, 53226, 102363, 54498, 69659, 87259, 86529, 576791, 86524, 557932, 85978, 86519, 546934, 86534

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%