		Page: 1
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Praestol™ A 3025 LA
FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington Delaware 19808 United States of America RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) / 606-329-5705 Product Information 1-844-SOLENIS (844-765-3647)
--	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2
Eye irritation : Category 2A
Specific target organ systemic toxicity - single exposure : Category 3 (Central nervous system)

GHS Label element


Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

		Page: 2
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

Wash skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear eye protection/ face protection.
Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards


Static Accumulating liquid

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Static Accumulator
Chemical nature : Defatter

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
ALIPHATIC HYDROCARBON	254504001-5164	Flam. Liq. 4; H227 Skin Irrit. 2; H315 STOT SE 3; H336	>= 20.00 - < 30.00
ALKOXYLATED ALCOHOL	254504001-6264	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1.50 - < 5.00
ALKANOL POLYALKOXYLATE	254504001-5531	Acute Tox. 4; H302	>= 1.00 - < 1.50


		Page: 3
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

		Eye Irrit. 2A; H319	
--	--	---------------------	--

Trade Secret Composition - Conceal the Identity + Concentration

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.
This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.
Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Lung irritation

	Page: 4
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 11/11/2015
	SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454	Version: 1.2

confusion
irregular heartbeat
Convulsions
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Notes to physician : No hazards which require special first aid measures.


SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
Nitrogen oxides (NOx)
Hydrocarbons
toxic fumes
- Specific extinguishing methods :

Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

		Page: 5
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.


Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALIPHATIC HYDROCARBON	254504001-5164	TWA	200 mg/m ³ Non-aerosol (as total hydrocarbon vapor)	ACGIH
		REL	100 mg/m ³	NIOSH/GUID E

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

	Page: 6
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 11/11/2015
	SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454	Version: 1.2

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Hand protection
Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

: Wear as appropriate:
 impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures

: Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Colour : white, milky
- Odour : mild, hydrocarbon-like
- Odour Threshold : No data available
- pH : No data available

SAFETY DATA SHEET

Revision Date: 05/23/2015

Print Date: 11/11/2015

SDS Number: 000000122505

Version: 1.2

Praestol™ A 3025 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
658454

Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 199.9 °F / > 93.3 °C
Evaporation rate	: < 1
Flammability (liquids)	: Static Accumulating liquid
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 22.7 hPa (20 °C) Method: ASTM D 2879-86
Relative vapour density	: No data available
Relative density	: Approximate 1
Density	: Approximate 1.05 g/cm3
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.

SAFETY DATA SHEET

Revision Date: 05/23/2015

Print Date: 11/11/2015

SDS Number: 000000122505

Version: 1.2

Praestol™ A 3025 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 658454

Conditions to avoid : Protect from frost.
 Heat, flames and sparks.

Incompatible materials : Acids
 halogens
 Strong oxidizing agents
 strong reducing agents

Hazardous decomposition products : carbon dioxide and carbon monoxide
 Hydrocarbons

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:
ALIPHATIC HYDROCARBON:

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour
 Method: OECD Test Guideline 403
 Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg
 Assessment: No adverse effect has been observed in acute dermal toxicity tests.

ALKOXYLATED ALCOHOL:

Acute oral toxicity : LD 50 (Rat): 2,000 mg/kg
 Method: OECD Test Guideline 401
 Assessment: No adverse effect has been observed in acute oral toxicity tests.

Acute inhalation toxicity : LC50 (Rat, male and female): 1.6 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: Not classified as acutely toxic by inhalation under GHS.

Acute dermal toxicity : LD50 (Rabbit, male and female): 2,000 mg/kg

SAFETY DATA SHEET

Revision Date: 05/23/2015

Print Date: 11/11/2015

SDS Number: 000000122505

Version: 1.2

Praestol™ A 3025 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
658454

Method: OECD Test Guideline 402

Assessment: Not classified as acutely toxic by dermal
absorption under GHS.**ALKANOL POLYALKOXYLATE:**

Acute oral toxicity : LD 50 (Rat): 1,940 mg/kg

Acute dermal toxicity : LD 50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

Components:**ALIPHATIC HYDROCARBON:**

Result: Irritating to skin

ALKOXYLATED ALCOHOL:

Result: Irritating to skin

ALKANOL POLYALKOXYLATE:

Result: Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes
serious eye irritation.**Components:****ALIPHATIC HYDROCARBON:**

Result: Mildly irritating to eyes

ALKOXYLATED ALCOHOL:

Result: Corrosive to eyes

ALKANOL POLYALKOXYLATE:

Result: Irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity


Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

		Page: 10
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

STOT - single exposure

May cause drowsiness or dizziness.

Components:

ALIPHATIC HYDROCARBON:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION


Ecotoxicity

Product:

Toxicity to fish : LC 50 (Pimephales promelas (fathead minnow)): 16.53 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Based on similar product.

LC 50 (Leuciscus idus (Golden orfe)): ca. 175 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 4.55 mg/l
Exposure time: 48 h

	Page: 11
SAFETY DATA SHEET	Revision Date: 05/23/2015
	Print Date: 11/11/2015
	SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454	Version: 1.2

Test Type: static test
Remarks: Based on similar product.

Components:

ALIPHATIC HYDROCARBON:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: WAF
Method: OECD Test Guideline 203
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Water flea (Daphnia magna)): 1.4 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: WAF
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: WAF
Method: OECD Test Guideline 201
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Water flea (Daphnia magna)): 0.48 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: WAF
Method: OECD Test Guideline 211
Remarks: Information given is based on data obtained from similar substances.

ALKOXYLATED ALCOHOL:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.876 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Water flea (Daphnia magna)): 2.7 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.41 mg/l

SAFETY DATA SHEET

Revision Date: 05/23/2015

Print Date: 11/11/2015

SDS Number: 000000122505

Version: 1.2

Praestol™ A 3025 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 658454

End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to fish (Chronic toxicity) : NOEC (Lepomis macrochirus (Bluegill sunfish)): 0.16 mg/l
 Exposure time: 10 d
 Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Water flea (Daphnia magna)): 0.77 mg/l
 Exposure time: 21 d
 End point: Reproduction Test
 Test Type: flow-through test
 Remarks: Information given is based on data obtained from similar substances.

ALKANOL POLYALKOXYLATE:

Toxicity to fish : LC 50 (Danio rerio (zebra fish)): 1 - 10 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 5 - 10 mg/l
 Exposure time: 48 h

Toxicity to bacteria : EC 50: > 1,000 mg/l

Persistence and degradability**Components:****ALIPHATIC HYDROCARBON:**

Biodegradability : Result: Inherently biodegradable
 Biodegradation: 58.6 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

ALKOXYLATED ALCOHOL:


Biodegradability : Result: Readily biodegradable
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

ALKANOL POLYALKOXYLATE:

Biodegradability : Biodegradation: 50 - 70 %
 Exposure time: 28 d

Chemical Oxygen Demand (COD) : 2,170 mg/g
 Method: Chemical oxygen demand

Dissolved organic carbon (DOC) : 540 mg/g

		Page: 13
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

Bioaccumulative potential

Components:

No data available

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

U.S. DOT - RAIL

SAFETY DATA SHEET

Revision Date: 05/23/2015

Print Date: 11/11/2015

SDS Number: 000000122505

Version: 1.2

Praestol™ A 3025 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 658454

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods


***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

		Page: 15
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

SARA 313 Component(s) : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:


- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AUSTR : On the inventory, or in compliance with the inventory
- NZIOC : Not in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECL : On the inventory, or in compliance with the inventory
- PHIL : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

Registration: Trade Secret


Chemical Name	Identification number
ALIPHATIC HYDROCARBON	254504001-5164
ALKOXYLATED ALCOHOL	254504001-6264
ALKANOL POLYALKOXYLATE	254504001-5531

		Page: 16
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 05/23/2015

NFPA:	HMS III:						
<p style="text-align: center;">Flammability</p>  <p style="text-align: center;">Special hazard.</p>	<table border="1"> <tr> <td style="background-color: blue; color: white;">HEALTH</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="background-color: red; color: white;">FLAMMABILITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: yellow; color: black;">PHYSICAL HAZARD</td> <td style="text-align: center;">0</td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	2	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	2						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports


The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

		Page: 17
SAFETY DATA SHEET		Revision Date: 05/23/2015
		Print Date: 11/11/2015
		SDS Number: 000000122505
Praestol™ A 3025 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 658454		Version: 1.2

CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
IMDG : International Maritime Code for Dangerous Goods
ISO : International Organization for Standardization
logPow : octanol-water partition coefficient
LCxx : Lethal Concentration, for xx percent of test population
LDxx : Lethal Dose, for xx percent of test population.
ICxx : Inhibitory Concentration for xx of a substance
Ecxx : Effective Concentration of xx
N.O.S.: Not Otherwise Specified
OECD : Organization for Economic Co-operation and Development
OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic
PPE : Personal Protective Equipment
STEL : Short-term exposure limit
STOT : Specific Target Organ Toxicity
TLV : Threshold Limit Value
TWA : Time-weighted average
vPvB : Very Persistent and Very Bioaccumulative
WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
DOT : Department of Transportation
FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
HMIRC : Hazardous Materials Information Review Commission
HMIS : Hazardous Materials Identification System
NFPA : National Fire Protection Association
NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System