

PRODUCT PROFILE

LIQUID CALCIUM CHLORIDE Industrial Grade – Rowley, Utah

DESCRIPTION

Liquid Calcium Chloride – Industrial Grade is suitable for use in non-specified ASTM D-98 concrete manufacturing and most industrial/technical applications. Liquid Calcium Chloride – Industrial Grade is a clear to brown tint liquid.

Typical Liquid Analysis	38% Industrial Grade	35% Industrial Grade	30% Industrial Grade	26%-28% Industrial Grade	CalMag Dust Control
Specific Gravity (@60°F)	1.386	1.351	1.295	1.250	1.250
°Baumé	40.4	37.7	33.0	29.0	29.0
Calcium Chloride (% by wt.)	35.3	32.5	27.6	24.0	24.0
Magnesium Chloride (% by wt.)	2.42	2.23	1.89	1.78	1.78
Sodium Chloride (% by wt.)	0.50	0.46	0.39	0.37	0.37
Potassium Chloride (% by wt.)	0.11	0.10	0.09	0.08	0.08
pH	5 to 7	5 to 9	5 to 7	5 to 7	5 to 7
Total Dissolved Solids (% by wt.)	38	35	30	26.00± 2	26

SAFETY AND HANDLING

Generally referred to as “non-hazardous” product. Refer to the Liquid Calcium Chloride Material Safety Data Sheet for handling precautions.

75 North 640 West • No. Salt Lake City, UT. 84054-2714
(801) 936-4100 • (800) 336-3911 • FAX: (801) 936-4110
<http://hillbrothers.com>

8/09

The information on this Product Profile is based on data obtained by our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or that any such use will not infringe any patent. This information is furnished upon the condition the person receiving it shall make his own tests to determine the suitability thereof for his particular purpose. For latest product specifications, contact our nearest sales office.

Southern Calif. • San Jose, CA • San Diego, CA • Salt Lake City, UT
Phoenix, AZ • Tucson, AZ • Pacific Northwest • International Sales



Hill Brothers Chemical Co.
Corporate Office
1675 North Main St.
Orange, CA 92867-3499
(714) 998-8800
www.hillbrothers.com